

DIMENSIONS ARE APPROXIMATE  
 OVERALL HEIGHT = 112"  
 OVERALL WIDTH WITH RUB  
 RAILS & FENDERETTES = 98"

HOSELINE TMC-2007 DUAL INLINE AC CONDENSER.  
 CHASSIS TO HAVE SECOND  
 ENGINE-DRIVEN AC COMPRESSOR

(7) WHELEN M9 SUPER LED WARNING LIGHTS  
 R/R/R/W/R/R/R-CLEAR LENSES

(5) TECNIQ S330 AMBER  
 MINI-LED MARKER LIGHTS


LOCKING, SLIDING WINDOW

OEM POWER  
 ADJUSTABLE  
 MIRRORS

FLASHING HEADLIGHTS W/  
 DAYTIME RUNNING LIGHTS

MINI-LED RUNNING  
 BOARD LIGHTS

CAST PRODUCTS SIREN  
 SPEAKERS IN THE BUMPER



(4) WHELEN ION SERIES  
 RED SUPER LED GRILLE  
 LIGHTS WITH CLEAR LENSES  
 TO FLASH IN X-PATTERN

POLISHED STAINLESS  
 STEEL STONE GUARDS

HIDDEN UNLOCK SWITCH  
 IN GRILLE AREA

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BULLDOG STOCK



FRONT EXTERIOR VIEW  
 CHIEF XL-1/F550 4X4-DIESEL CHASSIS

DATE:  
 9-12-23

DWG. REV.  
 BT NR

DRAWING NO.  
 CPQ# 9060  
 BULLDOG-1

APPROVAL SIGNATURE:

DATE:

DIMENSIONS ARE APPROXIMATE  
 OVERALL HEIGHT = 112"  
 OVERALL WIDTH WITH RUB  
 RAILS & FENDERETTES = 98"

(5) TECNIQ S330 RED  
 MINI-LED MARKER LIGHTS

LED LICENSE  
 PLATE LIGHT

WHELEN M9 AMBER SUPER LED WITH CLEAR LENS

(2) WHELEN M9 WHITE SUPER LED LOAD LIGHTS

(2) WHELEN M9 RED SUPER  
 LED WITH CLEAR LENSES

REAR VIEW CAMERA

(2) WHELEN M9 RED SUPER  
 LED WITH CLEAR LENSES

WHELEN M6 LED TAIL LIGHTS IN

M6 RED BRAKE/TAIL  
 M6 AMBER TURN  
 M6 WHITE BACK-UP

INDEPENDENT BUMPER WITH  
 NON-SKID FLIP-UP CENTER  
 STEP AND COT PROTECTOR  
 ON STEP EDGE. TOW HOOKS  
 LOCATED BELOW STEP/BUMPER.

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BULLDOG STOCK




REAR EXTERIOR VIEW  
 CHIEF XL-1/F550 4X4-DIESEL CHASSIS

DATE: 9-12-23	DWG. REV.:	DRAWING NO. CPQ# 9060
BT	NR	BULLDOG-2

DIMENSIONS ARE APPROXIMATE  
 OVERALL HEIGHT = 112"  
 OVERALL LENGTH = 307"  
 MODULE LENGTH = 169"

NOTE: DEF FILL REMOVED IF  
 GAS CHASSIS IS QUOTED.



COMPARTMENT  
 O.S.S #1

CLEAR OPENING: 77.00h x 18.25w  
 INSIDE DIM'S.: 86.75h x 24.50w x 20.75d  
 MAIN OXYGEN STORAGE  
 (1) ADJUSTABLE SHELF

O.S.S #2

CLEAR OPENING: 44.25h x 39.50w  
 INSIDE DIM'S.: 47.75h x 45.50w x 20.75d  
 (1) ADJUSTABLE SHELF

O.S.S #3

CLEAR OPENING: 63.50h x 28.75w  
 INSIDE DIM'S.: 65.25h x 32.50w x 20.75d  
 INSIDE/OUTSIDE ACCESS  
 (1) ADJUSTABLE SHELF

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BULLDOG STOCK




STREETSIDE EXTERIOR VIEW  
 CHIEF XL-1/F550 4X4-DIESEL CHASSIS

DATE:	9-12-23
DWG.:	REV.:
BT	NR

DRAWING NO.	CPQ# 9060
	BULLDOG-3

DIMENSIONS ARE APPROXIMATE  
 OVERALL HEIGHT = 112"  
 OVERALL LENGTH = 307"  
 MODULE LENGTH = 169"



COMPARTMENT  
 O.S.S #4  
 CLEAR OPENING: 73.00h x 24.75w  
 INSIDE DIM'S. 4A: 82.75h x 15.00w x 20.75d  
 BACKBOARD/SCOOP STORAGE  
 INSIDE DIM'S. 4B: 82.75h x 13.50w x 20.75d  
 (2) ADJUSTABLE SHELVES WITH INSIDE/OUTSIDE ACCESS

O.S.S #5  
 CLEAR OPENING: 69.50h x 17.50w  
 INSIDE DIM'S. 5A: SEE PARTITION INTERIOR VIEW  
 INSIDE/OUTSIDE STORAGE WITH (3) ADJUSTABLE SHELVES  
 INSIDE DIM'S. 5B: 19.00h x 20.75w x 18.00d

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.


BULLDOG STOCK



CURBSIDE EXTERIOR VIEW  
 CHIEF XL-1/F550 4X4-DIESEL CHASSIS

DATE:	9-12-23	
DWG.:	BT	REV. NR

DRAWING NO.	CPQ# 9060
	BULLDOG-4



ELECTRICAL CONTROL SCREEN MOUNTED ON ANGLED FLIP-DOWN PANEL WITH CHROME LEVER LATCHES.  
 TEMP. SENSOR MOUNTED TO BOTTOM OF THE ACP PANEL.  
 TECNIQ SILHO LED ACP LIGHT MOUNTED BELOW CABINET #2.

FLAT PORTION OF ACP FOR RADIO MOUNTING, ETC.

SOLID ACRYLIC COUNTERTOPS

SUCTION CONTROL/RADIO FADER/125VAC OUTLET;  
 12VDC OUTLET/DUAL USB PORT

EVS SEAT WITH ADULT V4 HARNESS,  
 MOUNTED ON SWIVEL BASE

COMPARTMENT

#1 DOOR OPENING: 11.50h x 31.50w  
 INSIDE DIMS: 13.25h x 33.00w x 17.25d  
 (1) ADJ SHELF EACH SIDE OF CENTER DIVIDER  
 RESTOCKING-SLIDING POLYCARBONATE DOORS  
 TOTAL CABINET WEIGHT RATING = 25 lbs.

#2 DOOR OPENING: 11.50h x 46.50w  
 INSIDE DIMS: 13.25h x 48.00w x 17.25d  
 (1) ADJ SHELF EACH SIDE OF CENTER DIVIDER  
 RESTOCKING-SLIDING POLYCARBONATE DOORS  
 TOTAL CABINET WEIGHT RATING = 25 lbs.


#3 DOOR OPENING: 26.50h x 26.75w  
 INSIDE DIMS: O.S.S. #3  
 HINGED POLYCARBONATE DOORS WITH FULL LENGTH  
 HANDLES AND CENTER SQUEEZE LATCHES  
 TOTAL CABINET WEIGHT RATING = 40 lbs.

#4 (2) PULL-OUT DRAWERS TOWARDS AISLE  
 INSIDE DIMS: 4.50h x 12.75w x 12.75d  
 LOCKING STAINLESS STEEL FLUSH PULL LATCHES.  
 TOTAL DRAWER WEIGHT RATING = 10 lbs. EACH

#5 PULL-OUT DRAWER WITH HINGED ACRYLIC WRITING SURFACE  
 INSIDE DIMS: 4.50h x 14.50w x 13.25d  
 LOCKING STAINLESS STEEL FLUSH PULL LATCH  
 TOTAL DRAWER WEIGHT RATING = 10 lbs.

CABINET FRAME RESTOCKING #1 & #2  
 CABINETS WITH INVENTORY CONTROL SYSTEM

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



COMPARTMENT

- #1 DOOR OPENING: 30.00h x 7.25w  
INSIDE/OUTSIDE ACCESS TO OSS #4B  
HINGED POLYCARBONATE DOOR WITH FULL LENGTH  
HANDLE AND CENTER SQUEEZE LATCH  
TOTAL CABINET WEIGHT RATING = 25 lbs.
- #2 INSIDE DIM'S: 14.25h x 77.00w x 21.00d

- #3 DOOR OPENINGS: 6.25h x 29.25w  
INSIDE DIMS: 6.25h x 29.25w x 10.25d  
TOP HINGED POLYCARBONATE DOORS WITH  
CENTER SQUEEZE LATCHES  
43" MINIMUM HEADROOM BELOW THE CABINET  
CABINETS DO NOT HAVE WEIGHT RATING

CABINETS WITH INVENTORY CONTROL SYSTEM

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.


BULLDOG STOCK



CURBSIDE INTERIOR VIEW  
CHIEF XL-I

DATE:	9-12-23
DWG.:	BT
REV.:	NR

DRAWING NO.	CPQ# 9060
	BULLDOG-6



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.


BULLDOG STOCK



PARTITION INTERIOR VIEW  
CHIEF XL-I

DATE:	9-12-23	DRAWING NO.:	CPQ# 9060
DWG.:	BT	REV.:	NR
			BULLDOG-7





THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BULLDOG STOCK



REAR INTERIOR VIEW  
 CHIEF XL-1

DATE: 9-12-23  
 DWG. BT


DRAWING NO. CPQ# 9060  
 REV. NR BULLDOG-8



RECESSED SHARPS/TRASH WITH HINGED  
ACRYLIC LID BELOW SEPARATE BENCH LID

ATTENDANT NET

(8) LED  
DOME LIGHTS



96" GRAB RAIL  
YELLOW  
ANTI-MICROBIAL

 = (2) RECESSED CEILING IV HANGER LOCATIONS

 = (1) CEILING OXYGEN OUTLET

\* (2) ANTENNA BASES LOCATED OUTBOARD OF  
DOME LIGHTS WITH COAX SERVICE LOOP

STRYKER FLOOR PLATE AND 12V PRE WIRE FOR CUSTOMER FUTURE  
INSTALL OF A POWER OR PERFORMANCE COT LOAD SYSTEM  
COT SHOWN FOR REFERENCE ONLY

MODULE WIDTH = 96"  
MODULE LENGTH = 169"  
MODULE HEAD ROOM = 72"

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BULLDOG STOCK



FLOOR INTERIOR VIEW  
CHIEF XL-I

DATE:  
9-12-23  
DWG:  
BT

DRAWING NO.  
CPQ# 9060  
REV:  
NR  
BULLDOG-9